03-06-00

| | - 1 | |
|-----------|--------|--|
| PTO/SB/05 | (2-98) | |

| Please type a plus s | ign (+) inside this box _ > _ + | | Approved for use through 9/30/00. OMB 0651-0 Patent and Trademark Office: U.S. DEPARTMENT OF COMMER | | | | |
|--|--|------------------------|--|--|--|--|--|
| the paperwork | Reduction Act of 1995, no persons are required to response | ond to a coll | oliection of information unless it displays a valid OMB control number. | | | | |
| u u | UTILITY | | Attorney Docket No. 30-GF-1092 | | | | |
| ·s P | ATENT APPLICATION | Fi | First Named Inventor or Application Identifier Daniel W. Sexton | | | | |
| PTO | TRANSMITTAL | Tı | Methods And Systems For Interfacing Small Devices Computer Networks | | | | |
| (Only for new nonpr | ovisional applications under 37 CFR 1.53(b)) | E | Express Mail Label No EL319728933US | | | | |
| | | | | | | | |
| See MPEP | APPLICATION ELEMENTS chapter 600 concerning utility patent application conte | ents | Assistant Commissioner for Patents ADDRESS TO: Box Patent Application Washington, DC 20231 | | | | |
| 1. X Fee Tran | nsmittal Form (e.g , PTO/SB/17) an original, and a duplicate for fee processing) | | 6 Microfiche Computer Program (Appendix) | | | | |
| | F | 0 | 7 Nucleotide and/or Amino Acid Sequence Submission (If applicable, all necessary) | | | | |
| (Preferre | ed arrangement set forth below) | 9] | a Computer Readable Copy | | | | |
| | otive title of the Invention References to Related Applications | | b. Paper Copy (identical to computer copy) | | | | |
| | ent Regarding Fed sponsored R & D nce to Microfiche Appendix | | c. Statement verifying identity of above copies | | | | |
| - Backgro | ound of the Invention ummary of the Invention | | ACCOMPANYING APPLICATION PARTS | | | | |
| - Brief De | escription of the Drawings (if filed) | | ACCOUNT ANTING AFFEIGATION FARTS | | | | |
| - Claim(s | d Description | | 8 X Assignment Papers (cover sheet & document(s)) | | | | |
| - Abstrac | t of the Disclosure | | 9 37 CFR 3.73(b) Statement X Power of Attorney (when there is an assignee) | | | | |
| 3 Drawing(| s) (35 USC 113) [Total Sheets | 1] | 10 English Translation Document (if applicable) | | | | |
| 4. Oath or Declar | ation [Total Pages 2 | 2 | 11. Information Disclosure Copies of IDS | | | | |
| £13 | _ | | Statement (IDS)/PTO-1449 Citations 12 Preliminary Amendment | | | | |
| a. x N | ewly executed (original or copy) | | 13 X Return Receipt Postcard (MPEP 503) | | | | |
| b. C | opy from a prior application (37 CFR 1 63(d)) | | (Should be specifically itemized) | | | | |
| . 22 | or continuation/divisional with Box 17 completed) [Note Box 5 below] | | 14 Small Entity Statement filed in prior application, Status still proper and desired | | | | |
| i i L | DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) | named | Statement(s) Status still proper and desired | | | | |
| Account I. | in the prior application, see 37 CFR 1 63(d)(2) | | 15 Certified Copy of Priority Document(s) (If foreign priority is claimed) | | | | |
| | 1.33(b) | | 16 X Other. Express Mail Certificate | | | | |
| Incorpora The entire | tion by Reference (useable if Box 4b is checked) edisclosure of the prior application, from which a copy | of the | color | | | | |
| oath or de | eclaration is supplied under Box 4b, is considered as is closure of the accompanying application and is hereby | being part | *NOTE FOR ITEMS 1 & 14 IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL | | | | |
| | ted by reference therein | , | NOTE FOR ITEMS 1 & 14 IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C F R § 1 27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C F R § 1 28). | | | | |
| 17. If a CONTINU | ING APPLICATION, check appropriate box and supp | | | | | | |
| Prior application | | inuation-in-pa Init | -part (CIP) of pnor application No | | | | |
| 18. CORRESPONDENCE ADDRESS | | | | | | | |
| Customer Nun | nber or Bar Code Label | ************ | or X Correspondence address below | | | | |
| | (Insert Custo | mer No ar At | · Attach bar code label here) | | | | |
| Constitution and Consti | | | | | | | |
| IAME | John S. Beulick | | | | | | |
| | Armstrong Teasdale LLP | | | | | | |
| DDRESS | One Metropolitan Square | | | | | | |
| NTV | Suite 2600 | | | | | | |
| CITY | | STATE | MO ZIP CODE 63102-2740 | | | | |
| OUNTRY | U.S.A. TELE | EPHONE | (314) 621-5070 FAX (314)621-5065 | | | | |

Name (Print/type) Patrick W. Rasche Registration No (Attorney/Agent) 37,916 Signature Date 00

CERTIFICATE OF MAILING BY EXPRESS MAIL TO THE COMMISSIONER OF PATENTS AND TRADEMARKS

Express Mail mailing label number: EL319728933US

Date of Mailing: March 3, 2000

I certify that the attached complete utility patent application claiming benefit of Provisional Application Serial Number 60/173,586 filed December 29, 1999, of Daniel W. Sexton and Andrew M. Lacy for METHODS AND SYSTEMS FOR INTERFACING SMALL **DEVICES TO COMPUTER NETWORKS, including:**

- Certificate of Mailing Via Express Mail (1 page)
- Patent Application Transmittal (1 page)
- Fee Transmittal (1 page) (in duplicate)
- Declaration (2 pages)
- Assignment (2 pgs.) and Assignment Recordation Form (1 pg.) (in duplicate)
- Four (4) pages of specification; four (4) pages of claims; one (1) page of abstract
- One (1) sheets of drawings
- Return post card

is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. §1.10 on the date indicated above in an envelope addressed to Box PATENT APPLICATION, Assistant Commissioner for Patents, Washington, D.C. 20231.

Patrick W. Rasche

Reg. No. 37,916

Armstrong Teasdale LLP

One Metropolitan Square, Suite 2600

Pato W. Rol

St. Louis, MO 63102-2740

314/621-5070

25

5

METHODS AND SYSTEMS FOR INTERFACING SMALL DEVICES TO COMPUTER NETWORKS

CROSS REFERENCE TO RELATED APPLICATIONS

This application claims the benefit of U.S. Provisional Application No. 60/173,586, filed December 29, 1999, which is hereby incorporated by reference in its entirety.

BACKGROUND OF THE INVENTION

The present invention relates to programmable logic controllers (PLC) and I/O (input/output) product network interfacing methods, and more particularly to methods for interfacing such devices to larger computer networks, such as the Internet.

Small programmable logic controllers (PLCs) and I/O products are known that communicate to other PLCs via a host of specialized networks, or via dedicated ports to configuration and monitoring devices. These specialized networks and dedicated ports can be used to provide data and programming for the devices connected thereto. However, the reach of specialized networks is usually limited. The Internet provides global or nearly global coverage, and can be reached by literally millions of personal computers (PCs). Users have come to accept and understand the look and feel of Internet browsers, and have come to expect that all of the information they need to perform their work tasks are available to them via these browsers. Nevertheless, only rarely are small PLCs and I/O products connected to information networks such as Ethernet or Internet infrastructure networks, because such connections are too resource-costly. One known device communicates directly with the Internet using a web browser, and thus requires that the overhead associated with the Internet network interface and web browser be built into the device.

It would be advantageous to combine I/O and PLC communications with the Internet's wide reach and ability to supply information, and to do so without adding significantly to the overhead burden of these small devices. It would further be advantageous to provide the capability of providing users with the "look and feel" of a PC-Internet interface.

25

5

10

BRIEF SUMMARY OF THE INVENTION

There is therefore provided, in one embodiment of the present invention, a method for communicating with a device such as a programmable logic controller (PLC) or an I/O device, the method including steps of: interconnecting the device to a personal computer (PC) running a web browser; and running an application on the PC that launches the web browser to an initial page and uploads a web browser applet or active x object from the device to the PC via the interconnection.

The above-described embodiment combines PLC and/or I/O communications with the Internet's wide reach and ability to supply information, and does so with the "look and feel" of a PC-Internet interface without adding significantly to the overhead burden of these small devices.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a block diagram of an exemplary interconnection of components suitable for practicing one embodiment of the present invention.

DETAILED DESCRIPTION OF THE INVENTION

A block diagram of an exemplary interconnection of components suitable for practicing one embodiment of the present invention is shown in Figure 1. A PC 10 is electronically linked to a PLC or I/O device 20 through an electronic link The communication mechanism of link 30 is of any type, for example, a proprietary communications link or a standard network. PLC or I/O device 20 supplies PC 10 with code which PC 10 uses in conjunction with a standard web browser to retrieve information and run applications. For example, information is retrieved and applications are run from or through a web server 40 communicating with PC 10 via Internet 50, or the information and applications reside locally in PC 10. An applet or active x object loaded into the browser of PC 10 from PLC or I/O device 20 enables data to be retrieved and monitored from device 20, allows device 20 to request data and applications to be loaded from server 40 or locally for display at PC 10. Once loaded, the applet or active x object in PC 10 also allows server 40 to retrieve information from device 20 through PC 10 and allows server 40 to download information to device 20. In one embodiment, device 20 has other intelligent devices 60 connected to it and exchanging communication therewith, for example, a PLC 20

30

5

10

with multiple intelligent modules 60. Modules 60 also communicate through PLC 20 to PC 10 through link 30 and through the browser running on PC 10.

In one embodiment of the present invention, an application within PC 10 is triggered by a user. Triggering of the application establishes communication to device 20, initiates a standard web browser on PC 10, loads an applet or active x object and points the browser to an appropriate web page either stored locally on PC 10 or on web server 40 (if PC 10 is connected to Internet 50).

Device 20 does not directly communicate with Internet 50. Instead, the web browser that is launched on PC 10 and an applet or active x object provided by device 20 and uploaded to PC 10 provide what appears to a user as a bridge between device 20 and another network such as Internet 50, connecting device 20 and network such as Internet 50 through PC 10 and the browser. Once communication between PC 10 and device 20 is established by an application started by the user on PC 10, for example, a web browser that supports applets or active x objects takes over and provides additional functionality. In particular, additional information, programs, and applications are fetched as needed either locally on PC 10 or over Internet 50. Thus, local device 20 appears to the user as a web-enabled product, without the cost and overhead of providing an actual web connection to the device.

In one embodiment, for example, information about device 20, such as a data sheet, application information, current or latest firmware revision, configuration, or programming software, is automatically received when device 20 is connected as shown in Figure 1. The information is compared to information stored in server (40) to verify correct or latest revision is in PLC (20).

In another embodiment, communication is provided between PC 10 and programmable logic controller (PLC) or I/O device 20. Communication is accomplished by electrically interconnecting the device to a personal computer (PC) 10; and running an application on PC 10 that launches a web browser to an initial page and uploads a web browser applet or active x object from device 20 to PC 10 via the interconnection. The initial page, for example, is one stored on PC 10 itself or on server 40 connected to PC 10 by a network, such as Internet 50. (An initial page from device 20 to PC 10 could also be uploaded along with the web browser applet or active x object, and it is not meant to exclude embodiments that do so.) In one embodiment, data is communicated or exchanged between PC 10 and device 20, under control of the web browser and web browser applet or active x object. In an

30

5

10

embodiment in which PC 10 is in communication with server 40 on network, such as Internet 50 and in which the interconnection between device 10 and personal computer 20 is separate from network, such as Internet 50, PC 10 automatically retrieves data specified by the web browser applet or active x object from server 40 via network, such as Internet 50. For example, data relating to device 20 is retrieved and displayed in a window of the web browser, data comprising an executable application is received from PC 10 and the executable application is executed by device 20 after downloading, or data received from server 40 is downloaded to the device. In one embodiment, data transfer from device 20 to server 40 occurs via the web browser. ("Via the web browser" should be construed as including transfers aided by the web browser applet or active x object.) In yet another embodiment, rather than automatically retrieving data from server 40, data is retrieved from that which is locally stored on PC 20.

In one embodiment in which device 20 is electronically coupled to a plurality of intelligent modules 60, selective communication of data between intelligent modules 60 and server 40 occurs, via device 20, the interconnection, the web browser, and the web browser applet or active x object.

Although in several embodiments described herein, data is transferred between server 40 on network, such as Internet 50, and the web browser running on PC 10 and/or device 20, in other embodiments, no server is required or utilized. In these other embodiments, data is transferred between PC 10 itself (e.g., local storage on PC 10) and the PC web browser and/or device 20.

It will be recognized that the embodiments of the present invention disclosed herein combine I/O and PLC communications with the Internet's wide reach and ability to supply information, and do so without adding significantly to the overhead burden of these small devices. Furthermore, the "look and feel" of a PC-Internet interface is provided.

Although the present invention has been described in detail by reference to various specific embodiments, it will be understood that various modifications of the embodiments described herein are possible without departing from the scope and spirit of the invention. Accordingly, the spirit and scope of the invention are to be limited only by the terms of the appended claims and their equivalents.

10

15

20

25

WHAT IS CLAIMED IS:

1 A method for communicating with a device selected from the group consisting of programmable logic controllers (PLC) and I/O devices, said method comprising the steps of:

interconnecting the device to a personal computer (PC) running a web browser; and

running an application on the PC that launches the web browser to an initial page and uploads a web browser applet or active x object from the device to the PC via the interconnection.

- 2. A method in accordance with Claim 1 further comprising the step of electronically communicating data between the PC and the device, under control of the web browser and web browser applet or active x object.
- 3. A method in accordance with Claim 1 wherein the PC is in communication with a server on a network, the interconnection between the device and the personal computer is separate from the network, and further comprising the step of the PC automatically retrieving data specified by the web browser applet or active x object from the server on the network.
- 4. A method in accordance with Claim 3 wherein the data retrieved from the server on the network comprises information about the device.
- 5. A method in accordance with Claim 4 further comprising the step of displaying the information about the device in a web browser window.
- 6. A method in accordance with Claim 3 wherein the data retrieved from the server on the network comprises an executable application, and further comprising the step of executing the executable application.
- 7. A method in accordance with Claim 3 further comprising the step of downloading the data received from the server to the device.
- 8. A method in accordance with Claim 3 further comprising the step of transferring data from the device to the server via the web browser.

10

15

20

25

- 9. A method in accordance with Claim 3 wherein the device is electronically coupled to a plurality of intelligent modules, and further comprising the step of selectively communicating data between the intelligent modules and the server, via the device, the interconnection, the web browser, and the web browser applet or active x object.
- 10. A method in accordance with Claim 1 and further comprising the step of automatically retrieving data specified by the web browser applet or active x object from the PC to the device.
- 11. A method in accordance with Claim 1 further comprising the step of transferring data from the device to the PC via the web browser.
- 12. A method in accordance with Claim 1 wherein the device is electronically coupled to a plurality of intelligent modules, and further comprising the step of selectively communicating data between the intelligent modules and the PC, via the device, the interconnection, the web browser, and the web browser applet or active x object.
- 13. A system configured to allow indirect communication with a network, said system comprising:

a computer;

a device without an network interface selected from the group consisting of programmable logic controllers (PLC) and I/O devices, said device further comprising a web browser applet or active x object; and

an interconnection between said computer and said device,

said computer configured with an interface to the network, a web browser, and an application that launches the web browser to an initial page and uploads the web browser applet or active x object from the device to the computer via said interconnection.

14. A system in accordance with Claim 13 wherein the web browser and web browser applet or active x object are configured to control electronic data communication between said computer and said device.

5

10

- 15. A system in accordance with Claim 13 wherein said computer configured to communicate with a server on a network, wherein said interconnection between said device and said computer is separate from the network.
- 16. A system in accordance with Claim 15 wherein said computer further configured to automatically retrieve data specified by the web browser applet or active x object from the server on the network.
- 17. A system in accordance with Claim 16 wherein the data retrieved from the server on the network comprises information about said device.
- 18. A system in accordance with Claim 17 wherein said computer configured to display the information about said device in a web browser window.
- 19. A system in accordance with Claim 16 wherein the data retrieved from the server on the network comprises an executable application, said computer configured to execute the executable application.
- 20. A system in accordance with Claim 16 wherein said computer configured to download the data received from the server to said device.
- 21. A system in accordance with Claim 16 wherein said computer configured to transfer data from said device to the server via the web browser.
- 22. A system in accordance with Claim 16 wherein said device configured to be electronically coupled to a plurality of intelligent modules, said computer configured to selectively communicate data between the intelligent modules and the server, via said device, said interconnection, the web browser, and the web browser applet or active x object.
- 23. A system in accordance with Claim 13 wherein said computer configured to automatically transfer data specified by the web browser applet or active x object from said computer to said device.
- 24. A system in accordance with Claim 13 wherein said computer configured to transfer data from said device to said computer via the web browser.


- 25. A system in accordance with Claim 13 wherein said device is electronically coupled to a plurality of intelligent modules, said device configured to selectively communicate data between the intelligent modules and said computer, via said device, said interconnection, the web browser, and the web browser applet or active x object.
- 26. A system in accordance with Claim 13 wherein the network is the Internet.

METHODS AND SYSTEMS FOR INTERFACING SMALL DEVICES TO COMPUTER NETWORKS

ABSTRACT OF THE DISCLOSURE

In one aspect, the invention is a method for communicating with a device such as a programmable logic controller (PLC) or an I/O device. The method includes steps of: interconnecting the device to a personal computer (PC) running a web browser; and running an application on the PC that launches the web browser to an initial page and uploads a web browser applet or active x object from the device to the PC via the interconnection.

The above-described embodiment combines PLC and/or I/O communications with the Internet's wide reach and ability to supply information, and does so with the "look and feel" of a PC-Internet interface without adding significantly to the overhead burden of these small devices.



Fis. 1

COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

(check one)

[]

My residence, post office address and citizenship are as stated below next to my name.

is attached hereto

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: METHODS AND SYSTEMS FOR INTERFACING SMALL DEVICES TO COMPUTER NETWORKS (Dkt. No. 30-GF-1092) the specification of which:

| | [] | was filed onand was amended on | _as Application Serial No, | | | | |
|---|------------------|--------------------------------|---|--|--|--|--|
| I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, a amended by any amendment referred to above. | | | | | | | |
| I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations §1.56(a). | | | | | | | |
| I hereby claim priority benefits under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112. I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application: | | | | | | | |
| (Application Serial No.) | | (Filing Date) | (Status: patented, pending, abandoned) | | | | |
| (Application Serial No.) | | (Filing Date) | (Status: patented, pending, abandoned) | | | | |
| I hereby claim the benefit to below: | under Title | 35, United States Code §119(| $\Theta(\mathbf{e})$ of any United States provisional application(s) listed | | | | |
| Application Serial No. 60/173,586 | Filin 12/29/9 | g Date | Additional provisional application numbers are listed on a supplemental priority sheet attached hereto. | | | | |

I hereby appoint Ronald E. Myrick, Reg. No. 26,315, General Electric Company (W3E), 3135 Easton Turnpike, Fairfield, CT 06431-0001; Henry J. Policinski, Reg. No. 26,621, General Electric Company (W3D), 3135 Easton Turnpike, Fairfield, CT 06431-0001; Carl B. Horton, Reg. No. 34,622; Wayne O. Traynham, Reg. No. 29,872, and Dave S. Christensen, Reg. No. 40,955, all of General Electric Company, 41 Woodford Avenue, Plainville, CT 06062; and John S. Beulick, Reg. No. 33,338 and Patrick W. Rasche, Reg. No. 37,916, all of Armstrong Teasdale LLP, One Metropolitan Square, Suite 2600, St. Louis, MO 63102, jointly, and each of them severally, my attorneys and attorney, with full power of substitution, delegation and revocation, to prosecute this application, to make alterations and amendments therein, to receive the patent and to transact all business in the Patent and Trademark Office connected therewith.

I hereby direct that all correspondence and telephone calls in connection with this application be addressed to the said John S. Beulick, Reg. No. 33,338

Armstrong Teasdale LLP

One Metropolitan Square, Suite 2600

St. Louis, MO 63102.

Telephone No. (314) 621-5070.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application and any patent issued thereon.

| SOLE OR FIRST INVENTOR: | |
|---|---------------------|
| Full Name: Paniel W. Sexton | |
| Signature: Dail M Jul | Date: 2/10/00 |
| Residence: Charlottesville, Virginia 22911 | , , |
| Citizenship: U.S.A. | |
| Post Office Address: 2140 Wisteria Drive, Charlottesville, Virginia 22911 | |
| SECOND JOINT INVENTOR, IF ANY: | |
| Full Name: Andrew M. Lacy | |
| Signature: Andrew In Tag | Date: 10-Feb - 2000 |
| Residence: Ruckersville, Virginia 22920 | |
| Citizenship: U.S.A. | |
| Post Office Address: 182 Stephens Loop, Ruckersville, Virginia 22961 | |